

AMENDED**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office NOV 29 1993
Returned to applicant for correction JAN 13 1994
Corrected application filed MAR 14 1994
Map filed MAR 14 1994 under 59409

The applicant **Harry G. Browne, Trustee, The Harry Gray Browne Family Trust**, hereby makes application for permission to change the **Point of Diversion, Place and Manner of Use of a portion** of water heretofore appropriated under **Permit 29709, Certificate 11664**

1. The source of water is **Underground**
2. The amount of water to be changed **.014 c.f.s., 10.1 ac. ft./yr.**
3. The water to be used for **Quasi-municipal**
4. The water heretofore permitted for **Stockwater**
5. The water is to be diverted at the following point **SW¼ SW¼ Section 20, T.26N., R.19E., MDB&M, or at a point from which the W¼ corner of Section 29, T.26N., R.19E., MDB&M, bears South 17° 59' 34" West, a distance of 3,083 feet**
6. The existing permitted point of diversion is located within **SW¼ NE¼ Section 25, T.26N., R.18E., MDB&M, or at a point from which the NE corner of Section 1, T.25N., R.18E., MDB&M, bears South 18° 30' 36" East, a distance of 8,865.66 feet**
7. Proposed place of use **SE¼ SE¼ Section 19, SW¼ SW¼ Section 20, NW¼ NW¼ Section 29, NE¼ NE¼ Section 30, T.26N., R.19E., MDB&M**
8. Existing place of use **within Section 25, T.26N., R.18E., MDB&M**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **well, electric submersible pump and water distribution system**
12. Estimated cost of works **Existing**
13. Estimated time required to construct works **Existing**
14. Estimated time required to complete the application of water to beneficial use **1 year**
15. Remarks: **Water under this application and Application 59410 is to support a proposed ostrich-raising operation, including support facilities, such as residences for employees, office, veterinary hospital, greenhouses and ostrich watering and washing. The total annual duty**

under this application and Application 59410 will not exceed the duty allowed under Stockwater Permit 29709, Certificate 11664, which is no longer in use. Please use map under 29344 to support the existing Point of Diversion and Place of Use.

By s/Brian A. Randall
Brian A. Randall, Resource Concepts, Inc
340 North Minnesota Street
Carson City, Nevada 89703

Compared my/ cmf hs/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 29709, Certificate 11664 is issued subject to the terms and conditions imposed in said Permit 29709, Certificate 11664 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.014 cubic feet per second, but not to exceed 3.29 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 24, 2001

Proof of completion of work shall be filed before:

June 24, 2001

Water must be placed to beneficial use on or before:

May 24, 2002

Proof of the application of water to beneficial use shall be filed on or before:

June 24, 2002

Map in support of proof of beneficial use shall be filed on or before:


June 24, 2002

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 24th day of, May A.D. 2000

 P.E.
State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____